

GENERAL	THINKVISION LT2024 20-INCH LED BACKLIT LCD MONITOR
Part number	60B9HAR1IS
Brightness	250 cd/m2
Connector	DVI-D,VGA
Contrast Ratio	1000:1
Display Type	TFT Wide Screen LED
Dot Pitch	0.28mm
Ergonomics	EPA 6.0,ISO 9241-307,CECP (China),CEL Grade 1,TCO 6.0,China RoHS,EPEAT Gold
Maximum Resolution	1600x900
Case Color	Black
Monitor Technology	TN
Native Resolution	1600x900
Power Supply Type	Internal
Pixel Pitch/Type - Diagonal	0.277mm
Refresh Time	5
Refresh Time Units	Milliseconds
Screen Illumination	Backlit
Viewable Image Size Inches	20
Viewable Image Height US	9.8
Viewable Image Height US Units	in
Viewable Image Height Metric Units	mm
Viewable Image Width US	17.4

Viewable Image Width US Units	in
Viewable Image Width Metric	442.8
Viewable Image Width Metric Units	mm
Stand	Tilt only
Tilt	-5~22 degrees
Vertical Viewing Angle	160 degrees
Agency Approvals & Certifications	Israel,FCC Class B (US),BELLIS(Belarus),OTAN(Kazakhstan),KEBS(Kenya),SONCAP(Nigeria),TUV-GS,ISO 9241-307,e-Standby (Korea),CE (EU),VCCI(Japan),C-TICK (Australia/New Zealand),IC (Canada),cTUVus,IEC-950 CB Report,NOM (Mexico),SASO (Saudia Arabia),PSB (Singapore),BSMI (Taiwan),NEMKO,KVALITET(Serbia),Ukraine,CCC (China),STZ (Uzbekistan),INSM (Moldavia),KUCAS (Kuwait),KC (Korea),JEITA (Japan),CSA (Canada),SABS (South Africa),ISC (Cambodia),KONCAR(Croatia),Tanzania
Maximum Operating Humidity	80
Maximum Operating Humidity Units	%
Minimum Operating Humidity	10
Minimum Operating Humidity Units	%
Maximum Operating Temperature	45
Maximum Operating Temperature Units	C
Minimum Operating Temperature	0
Minimum Operating Temperature Units	C
Depth Metric	160.7
Depth	160.7mm

Depth Metric Units	mm
Depth (US)	6.33in
Height Metric	347.4
Height	347.4mm
Height Metric Units	mm
Height (US)	13.68in
Max Operating Humidity + Units	80%
Min Operating Humidity + Units	10%
Max Operating Temperature + Units	45C
Min Operating Temperature + Units	0C
Weight US	6.75
Weight US Units	lbs
Weight Metric	3.07
Weight Metric Units	Kg
Width Metric	478.4
Width	478.4mm
Width Metric Units	mm
Width (US)	18.83in