

Specifications

MOTION RATE*	SMART HUB ?	DIMMING TECHNOLOGY
120	Yes	UHD Dimming

Full Specifications

Series	SERIES JU6500		
Design	TYPE 4K UHD TV with Full Array Backlighting	STAND TYPE (COLOR) Plate T-Shape (Black+Glossy Black Deco)	CEA 4K UHD CERTIFIED ? Yes
Video	SCREEN SIZE ? 74.5" Measured Diagonally	RESOLUTION ? 3840 x 2160	MOTION RATE* 120
	PURCOLOR (COLOR ACCURACY) Yes	UHD UPSCALING UHD Upscaling	DEPTH ENHANCING TECHNOLOGY Contrast Enhancer
Audio	DOLBY Dolby MS 11	SOUND EFFECT ? DTS Studio Sound	DTS PREMIUM SOUND DTS Premium Sound 5.1
	SOUND OUTPUT (RMS) ? 20W (10W x 2)	SPEAKER TYPE ? Down Firing + Base Reflex (2CH)	
Wireless Connectivity	Wi-Fi ? Built-in Wi-Fi	Wi-Fi Direct Yes	
Features	SMART HUB ? Yes	PROCESSOR Quad-Core	APPS PLATFORM ? Smart TV with Apps, S-Recommendation and Full Web Browser
	MOTION CONTROL Ready	SMART VIEW 2.0 ? Yes	SMART EVOLUTION READY Ready (Future Proof Only)
	ULTRA CLEAR PANEL ? Ultra Clear	DIMMING TECHNOLOGY UHD Dimming	WIDE COLOR ENHANCER PLUS ? Yes

	CONNECTSHARE™ ⓘ Yes	RVU Yes (DirecTV Ready)	OSD LANGUAGE ⓘ English, Spanish, French
	ANYNET+™ (HDMI-CEC) ⓘ Yes	BD WISE™ PLUS ⓘ Yes	CLOSED CAPTIONING Yes
	ELECTRONIC PROGRAM GUIDE (CHANNEL GUIDE) Yes	V-CHIP ⓘ Yes	BLUETOOTH® Yes
	ECO SENSOR ⓘ Yes	EASY PAIRING Yes	TV TO MOBILE - MIRRORING Yes
	MOBILE TO TV - MIRRORING, DLNA Yes	BRIEFING ON TV Yes	
Inputs & Outputs	HDMI ⓘ 4	USB ⓘ 3	ETHERNET ⓘ 1
	COMPONENT ⓘ 1	COMPOSITE IN (AV) ⓘ 1 (Common Use for Component Y)	RF IN (TERRESTRIAL/CABLE INPUT) ⓘ 1/1(Common Use for Terrestrial)/0
	DIGITAL AUDIO OUT (OPTICAL) ⓘ 1	AUDIO OUT (MINI JACK) ⓘ 1	RS232C 1
Dimensions	PRODUCT SIZE (W X H X D) WITHOUT STAND ⓘ 66.5" x 38.3" x 2.6"	PRODUCT SIZE (W X H X D) WITH STAND ⓘ 66.5" x 40.7" x 14"	SHIPPING SIZE (W X H X D) ⓘ 71.5" x 44.2" x 9.8"
Weight	PRODUCT WEIGHT WITHOUT STAND ⓘ 80.5 lb.	PRODUCT WEIGHT WITH STAND ⓘ 93.7 lb.	SHIPPING WEIGHT ⓘ 113.1 lb.
Power	POWER SUPPLY (V) AC110-120V 60Hz	TYPICAL POWER CONSUMPTION 130W	MAXIMUM POWER CONSUMPTION 342W
	STANDBY POWER CONSUMPTION Under 0.3W		
System	DTV TUNER ⓘ ATSC / Clear QAM		

Accessory

REMOTE
Standard Remote Controller (TM1260C)

VESA WALL MOUNT COMPATIBILITY 
Yes (400 x 400)

POWER CABLE
Yes

USER MANUAL
Yes

E-MANUAL
Yes