Functions	Print, scan, copy, fax

Printer

Printing Technology	Laser; HP ImageRET 3600, Pantone calibrated
Maximum Resolution	600 x 600 dpi (38400 x 600 enhanced dpi)
Print Speed	28 ppm
First Print Out Speed	Black: 8.9 sec Color: 9.8 sec
Print Color	Color
Duplex Printing	Automatic
Printer Duty Cycle	Monthly: 50,000 pages Recommended Monthly Volume: 750-4,000 pages
Print Features	Auto-duplex printing, N-up printing, collation, HP ePrint, Apple AirPrint, Mopria certified, Google Cloud Print, Wireless Direct Printing, HP Auto-On/Auto-Off Technology, Print from Cloud using business apps on the control panel, HP JetAdvantage Private Print, Job Storage with PIN printing, Print from USB

Scanner

Type	Flatbed, ADF
Scan Sensor	Contact Image Sensor (CIS)

Optical Resolution	1200 x 1200 dpi
Hardware Resolution	1200 x 1200 dpi
Scan Size	ADF: 4 x 6" to 8.5 x 14.0" / 10.2 x 15.2 cm to 21.6 x 35.6 cm Flatbed: Up to 8.5 x 11.7" / 21.6 x 29.7 cm
Duplex Scanning	Automatic
Scan Speed	Black: 26 ppm / 47 ipm (duplex) Color: 21 ppm / 30 ipm (duplex)
Scan File Format	PDF, JPG
Bit Depth	30-bit
Grayscale Tones	256 levels
Scanner Features	Scan-to-E-mail; Scan-to-cloud; Scan-to-USB; Scan-to-network folder; LDAP e-mail lookup; Single-pass 2-sided scanning ADF

Copier

Copy Resolution	600 x 600 dpi
Copy Speed	28 cpm
Number of Copies	Up to 99 copies
Reduction/Enlargement	25-400%
Copy Features	Number of copies; Reduce/Enlarge;

	Lighter/Darker; Optimize; Paper; Multi-page copy; Collation; Tray Select; Two-Sided; Draft Mode; Image Adjustment; Set as New Defaults; Restore Defaults

Fax

Modem Speed	33.6 kbps
Transmission Speed	3 sec per page
Fax Resolution	Black (Best): 300 x 300 dpi Black (Standard): 203 x 96 dpi
Fax Memory	400 pages
Speed Dial Locations	120 numbers
Fax Features	Auto fax reduction supported, auto-redialing, fax delayed sending, distinctive ring detection supported, fax telephone mode, junk barrier, PC interface support

Media Handling

Paper Handling	Multipurpose tray Input tray Automatic document feeder Output bin
Paper Types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Paper Sizes	Multipurpose Tray: 3 x 5" to 8.5 x 14" / 7.6 x 12.7 cm to 21.6 x 35.6 cm Input Tray: 3.9 x 5.8" to 8.5 x 14" / 10.0 x 14.7 cm to 21.6 x 35.6 cm

Media Weight	Multipurpose Tray: 16-52 lb Input Tray: 16-47 lb ADF: 16-43 lb
Paper Capacity	Multipurpose Tray: 50 sheets Input Tray: 250 sheets ADF: 50 sheets Output Bin: 150 sheets

Connectivity

Interface	USB 2.0 Ethernet Wi-Fi with NFC
USB Direct Printing	Yes, 1 x USB host port
Wireless Printing Features	HP ePrint, Apple AirPrint, Google Cloud Print, Mopria-certified, wireless direct printing, NFC touch-to-print, mobile apps
OS Compatibility	Windows XP SP3 (32/64-bit), Vista (32/64-bit), 7 (32/64-bit), 8/8.1 (32/64-bit), 10 (32/64-bit) Mac OS X 10.7-10.10 iOS, Android, Windows 8/8.1/10 RT SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x) UNIX
Processor	1.2 GHz
Memory	256 MB NAND flash, 256 MB DRAM
Fonts	84 scalable TrueType fonts

General Attributes

Control Panel	4.3" / 10.9 cm color touchscreen
Power Requirements	100-127 VAC (±10%), 60 Hz (±3 Hz)
Power Consumption	Active Printing: 570 W Ready: 18.6 W Sleep: 2.5 W Auto-On/Off: 0.6 W Off: 0.05 W
Certifications	ENERGY STAR certified Blue Angel EPEAT Silver
Acoustic Noise	Power Emissions: 6.3 B(A) Pressure Emissions: 49 dB(A)
Operating Conditions	Temperature: 59 to 86°F / 15 to 30°C Humidity: 10 to 80%, relative non-condensing Recommended Temperature: 59 to 80.6°F / 15 to 27°C Recommended Humidity: 20 to 70%, relative non-condensing
Storage Conditions	Temperature: -4 to 104°F / -20 to 40°C Humidity: 10 to 95%, relative non-condensing
Dimensions	16.4 x 18.6 x 15.7" / 41.7 x 47.2 x 39.9 cm Maximum: 16.8 x 25.7 x 16.3" / 42.7 x 65.3 x 41.4 cm
Weight	51.2 lb / 23.2 kg